

Brighton & Hove PCN profiles

February 2022

Produced by the Brighton & Hove Public Health Intelligence team

Based on information in

Office for Health Improvement and Disparities. Public health profiles. 2022 <https://fingertips.phe.org.uk> © Crown copyright 2022

Area profiles

Brighton & Hove PCN profiles

Brighton Cluster 5

Each of the profile includes a colour scale which allow easy comparison to the England average.

Lower Similar Higher Not applicable

If a PCN is higher or lower than the England average, this can be considered a statistically significant difference

Where there is no direct comparison to the England average PCN are compared with each other on a best/worst scale

Quintiles: Best Worst Not applicable

PCN profiles Summary indicators [Edit](#)

Data view ▾
Area profiles

Geography
Brighton Cluster 5 PCN
PCN in Brighton & Hove PCNs

Indicator list
PCN profiles Summary indicators

[Show me the profiles these indicators are from](#)

[Legend](#)
[Benchmark](#)
[More options](#)

● Lower
● Similar
● Higher
○ Not applicable
Quintiles: Best
○ Worst
○ Not applicable
Quintiles: Low
● High
○ Not applicable

Recent trends:
 — Could not be calculated
➔ No significant change
⬆ Increasing
⬇ Decreasing



Indicator	Period	Brighton Cluster 5 PCN		Your area list		England		England	
		Recent Trend	Count	Value	Value	Value	Worst/ Lowest	Range	Best/ Highest
% aged 0 to 4 years (Persons, 0-4 yrs)	2021	⬇	1,053	2.1%*	3.8%*	5.1%*	0.5%		12.1%
% aged 5 to 14 years (Persons, 5-14 yrs)	2021	⬇	2,230	4.4%*	9.4%*	11.8%*	0.6%		21.9%
% aged under 18 years (Persons, <18 yrs)	2021	⬇	3,997	7.8%*	16.1%*	20.2%*	1.2%		38.9%
% aged 65+ years (Persons, 65+ yrs)	2021	➔	3,069	6.0%*	12.9%*	17.4%*	0.0%		35.7%
% aged 85+ years (Persons, 85+ yrs)	2021	⬇	347	0.7%*	1.6%*	2.1%*	0.0%		5.3%
% aged 75+ years (Persons, 75+ yrs)	2021	➔	1,235	2.4%*	5.7%*	7.9%*	0.0%		18.1%
Life expectancy - MSOA based (Male, All ages)	2015 - 19	—	-	-	-	79.7	-	<i>Insufficient number of values for a spine chart</i>	-
Life expectancy - MSOA based (Female, All ages)	2015 - 19	—	-	-	-	83.2	-	<i>Insufficient number of values for a spine chart</i>	-
% with a long-standing health condition (Persons, 16+ yrs)	2021	➔	308	43.8%*	50.2%*	51.1%	27.3%		73.9%
% with caring responsibility (Persons, 16+ yrs)	2021	⬆	85	12.0%*	16.0%*	18.2%	1.0%		32.6%
% reporting to be in paid work or in full-time education (Persons, 16+ yrs)	2021	➔	549	77.8%*	65.7%*	61.8%	41.3%		95.0%
% reporting to be unemployed (Persons, 16+ yrs)	2021	⬆	24	3.4%*	5.7%*	5.5%	0.0%		17.6%

PCN profiles Risk factors [Edit](#)

Data view ▾
Area profiles

Geography
Brighton Cluster 5 PCN
PCN in Brighton & Hove PCNs

Indicator list
PCN profiles Risk factors

[Show me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

● Lower ● Similar ● Higher ○ Not applicable Quintiles: Low ● ● ● ● High ○ Not applicable

Recent trends: — Could not be calculated ➔ No significant change ↑ Increasing ↓ Decreasing



Indicator	Period	Brighton Cluster 5 PCN			Your area list		England				
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest		
Hypertension: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	2,275	4.5%*	9.6%*	13.9%	0.1%		24.3%		
Personalised Care Adjustment (PCA) rate for hypertension indicator (Persons, All ages)	2020/21	➔	126	5.5%*	3.6%*	4.1%	1.3%		39.4%		
Patients, aged 45+, who have a record of blood pressure (last 5yrs)(denominator incl. PCAs) (Persons, 45+)	2020/21	↓	8,584	78.8%*	82.6%*	86.5%	65.9%		93.7%		
Obesity: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	➔	1,064	2.3%*	4.1%*	6.9%	0.4%		19.4%		
Estimated smoking prevalence (QOF) (Persons, 15+ yrs)	2020/21	↓	9,226	19.3%*	19.3%*	15.9%	5.0%		34.3%		
Personalised Care Adjustment (PCA) rate for smoking indicators (Persons, 15+ yrs)	2020/21	➔	142	0.9%*	1.1%*	0.9%	0.3%		13.2%		
% of active smokers (GPPS) (Persons, 16+ yrs)	2021	➔	169	23.8%*	18.7%*	14.3%	4.2%		32.2%		
% of former smokers (GPPS) (Persons, 16+ yrs)	2021	➔	173	24.2%*	31.3%*	26.7%	7.5%		39.3%		
Smoking status of patients with certain conditions is recorded in last 12 mths , denominator incl. PCAs (Persons, All ages)	2020/21	↓	4,242	86.6%*	84.4%*	89.4%	75.2%		98.6%		
Record of offer of support and treatment for smokers (15+, last 24 mnths), denominator incl. PCAs (Persons, 15+ yrs)	2020/21	➔	5,925	64.2%*	65.3%*	75.5%	40.3%		98.5%		
Smoking cessation support and treatment offered to patients with certain conditions, denominator incl. PCAs (Persons, All ages)	2020/21	➔	638	73.7%*	62.3%*	72.8%	29.6%		99.6%		

PCN profiles Cancer v2 [Edit](#)

Data view ▾

Area profiles



Geography ▾

Brighton Cluster 5 PCN

PCN in NHS Brighton And Hove CCG

Indicator list

PCN profiles Cancer v2

[how me the profiles these indicators are from](#)

▾ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

● Lower ● Similar ● Higher ○ Not applicable

Recent trends: — Could not be calculated → No significant change ↑ Increasing ↓ Decreasing



Indicator	Period	Brighton Cluster 5 PCN			CCGs England (2019/20)		England			
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest	
Cancer: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	694	1.4%*	2.4%	3.2%	0.2%		6.7%	
% reporting cancer in the last 5 years (Persons, 16+ yrs)	2021	→	7	1.1%*	2.5%	3.1%	0.1%		7.9%	
New cancer cases (Crude incidence rate: new cases per 100,000 population) (Persons, All ages)	2019/20	—	-	-	428	531	-	Insufficient number of values for a spine chart		-
Number of emergency admissions with cancer (Number per 100,000 population) (Persons, All ages)	2020/21	↓	59	116*	259*	456*	6		1,185	
Number of emergency presentations (Number per 100,000 population) (Persons, All ages)	2020/21	→	14	27*	55*	87*	2		193	
Patients with cancer reviewed within 6 mths of diagnosis (denominator incl. PCAs) (Persons, All ages)	2020/21	↑	56	83.6%*	57.1%	78.4%	0.7%		100%	
Persons, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (Female, 50-70 yrs)	2020/21	↓	1,704	61.4%*	57.9%	61.3%	9.2%		82.3%	
Persons, 50-70, screened for breast cancer within 6 months of invitation (Uptake, %) (Female, 50-70 yrs)	2020/21	→	608	61.4%*	60.7%	62.8%	9.7%		100%	
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (Persons, 60-74 yrs)	2020/21	↑	2,044	65.3%*	65.9%	66.8%	39.9%		79.1%	
Persons, 60-74, screened for bowel cancer within 6 months of invitation (Uptake, %) (Persons, 60-74 yrs)	2020/21	↑	982	67.4%*	69.6%	70.7%	33.3%		82.8%	
Two-week wait referrals for suspected cancer (Number per 100,000 population) (Persons, All ages)	2020/21	→	908	1,780*	3233	3389	489		6,446	
Two-week referrals resulting in a diagnosis of cancer (Conversion rate: as % of all TWW referrals). (Persons, All ages)	2020/21	→	47	5.2%*	5.8%*	7.0%*	1.1%		14.5%	

PCN profiles CHD stroke and heart failure [Edit](#)

Data view ▼
Area profiles



Geography
Brighton Cluster 5 PCN
PCN in NHS Brighton And Hove CCG

Indicator list
PCN profiles CHD stroke and heart failure

[Show me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

Indicator	Period	Brighton Cluster 5 PCN			CCGs	England	England			
		Recent Trend	Count	Value	(2019/20)	Value	Lowest	Range	Highest	
CHD: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	479	0.9%*	2.1%	3.0%	0.0%		6.5%	
Personalised Care Adjustment (PCA) rate for CHD indicators (Persons, All ages)	2020/21	➔	111	7.7%*	6.9%	6.7%	2.6%		20.4%	
Patients with CHD immunised against flu (den.incl.PCAs) (Persons, All ages)	2020/21	➔	388	81.0%*	78.8%	82.0%	50.0%		91.6%	
For patients with CHD, a record that aspirin, APT or ACT is taken exists (den. incl. PCAs) (Persons, All ages)	2020/21	➔	414	86.4%*	85.8%	88.5%	50.0%		97.4%	
Last BP reading of patients (<80yrs, with CHD) in last 12mths is <=140/90 (denominator includes PCAs) (Persons, <80 yrs)	2020/21	—	182	53.2%*	48.1%	54.9%	23.1%		86.0%	
Last BP reading of patients (80+ yrs, with CHD) in last 12mths is <=150/90 (denominator includes PCAs) (Persons, 80+ yrs)	2020/21	—	95	69.3%*	60.2%	64.6%	31.0%		100%	
Stroke: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	289	0.6%*	1.3%	1.8%	0.0%		3.8%	
Personalised Care Adjustment (PCA) rate for stroke indicators (Persons, All ages)	2020/21	➔	85	11.0%*	8.1%	8.5%	3.3%		57.1%	
For patients with stroke a record exists that an anti-platelet agent or an anti-coagulant is taken (denominator incl. PCAs) (Persons, All ages)	2020/21	➔	165	85.5%*	86.6%	88.9%	0.0%		97.4%	
Patients with stroke who got influenza immunisation given 1 Aug-31 Mar (denominator incl. PCAs) (Persons, All ages)	2020/21	➔	230	79.6%*	76.4%	79.4%	0.0%		89.9%	
Last BP reading of patients (<80yrs, with a history of stroke or TIA) in last 12mths is <=140/90 (denominator incl. PCAs) (Persons, <80 yrs)	2020/21	—	97	50.5%*	46.1%	50.7%	0.0%		78.7%	
Last BP reading of patients (80+ yrs, with a history of stroke or TIA) in last 12mths is <=150/90 (denominator incl. PCAs) (Persons, 80+ yrs)	2020/21	—	64	66.0%*	58.5%	62.9%	30.6%		100%	
Heart Failure: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	127	0.2%*	0.6%	0.9%	0.0%		3.5%	
Heart failure w LVSD: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	28	0.1%*	0.1%	0.4%	0.0%		1.6%	
Personalised Care Adjustment (PCA) rate for heart failure indicators - retired after 2019/20 (due to changes with contributing indicators) (Persons, All ages)	2019/20	➔	12	7.1%*	8.1%	8.3%	1.7%		18.5%	
Atrial fibrillation: QOF prevalence (Persons, All ages)	2020/21	➔	361	0.7%*	1.5%	2.0%	0.0%		4.5%	
Personalised Care Adjustment (PCA) rate for atrial fibrillation indicators (Persons, All ages)	2020/21	➔	13	2.9%*	5.1%	3.6%	0.0%		16.6%	

PCN profiles Diabetes [Edit](#)

Data view ▼

Area profiles



Geography

Brighton Cluster 5 PCN

PCN in Brighton & Hove PCNs

Indicator list

PCN profiles Diabetes

[Show me the profiles these indicators are from](#)

▶ [Legend](#)

▶ [Benchmark](#)

▶ [More options](#)

Lower
 Similar
 Higher
 Not applicable
 Quintiles: Low

 High
 Not applicable

Recent trends:
 Could not be calculated
 No significant change
 Increasing
 Decreasing



Indicator	Period	Brighton Cluster 5 PCN			Your area list		England		
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest
Diabetes: QOF prevalence (17+) (Persons, 17+ yrs)	2020/21	➔	825	1.7%*	4.3%*	7.1%	0.3%		15.6%
Personalised Care Adjustment (PCA) rate for diabetes indicators (Persons, 17+ yrs)	2020/21	➔	461	11.9%*	10.0%*	10.3%	4.1%		31.9%
IFCC-HbA1c <=58mmol/mol in patients with diabetes without frailty (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	—	296	44.8%*	43.8%*	46.7%	24.3%		63.7%
IFCC-HbA1c <=75mmol/mol in patients with diabetes and frailty (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	—	123	74.5%*	69.6%*	72.7%	47.1%		100%
Newly diagnosed patients w. diabetes referred to education programme within 9 mths (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	⬇	28	47.5%*	44.9%*	51.1%	3.7%		93.4%
Flu vaccination coverage of patients with diabetes (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	➔	610	73.9%*	74.3%*	76.7%	49.0%		89.5%

PCN profiles Respiratory disease [Edit](#)

Data view ▼ Area profiles	Geography ▼ Brighton Cluster 5 PCN PCN in Brighton & Hove PCNs	Indicator list PCN profiles Respiratory disease
-------------------------------------	---	---

[Show me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

Lower
 Similar
 Higher
 Not applicable
 Quintiles: Low High Not applicable

Recent trends:
 Could not be calculated
 No significant change
 Increasing
 Decreasing



Indicator	Period	Brighton Cluster 5 PCN			Your area list		England			
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest	
COPD: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	327	0.6%*	1.5%*	1.9%	0.0%		4.7%	
Personalised Care Adjustment (PCA) rate for COPD indicators - retired after 2019/20 (due to changes in contributing indicators) (Persons, All ages)	2019/20	➔	210	20.4%*	21.3%*	18.2%	7.4%		50.0%	
Asthma: QOF prevalence (all ages) - retired after 2019/20 (now 6+ yrs) (Persons, All ages)	2019/20	➔	2,144	4.1%*	6.0%*	6.5%	2.3%		10.0%	
Personalised Care Adjustment (PCA) rate for asthma indicators - retired after 2019/20 (due to changes in contributing indicators) (Persons, All ages)	2019/20	➔	368	12.2%*	14.3%*	9.9%	1.0%		36.5%	

PCN profiles Mental health [Edit](#)

Data view ▼
Area profiles

Geography
Brighton Cluster 5 PCN
PCN in Brighton & Hove PCNs

Indicator list
PCN profiles Mental health

[Show me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

● Better 95%
● Similar
● Worse 95%
● Lower
● Similar
● Higher
○ Not applicable
Quintiles: Low
●
●
●
●
● High
○ Not applicable

Recent trends:
 — Could not be calculated
→ No significant change
↑ Increasing & getting worse
↑ Increasing & getting better
↓ Decreasing & getting worse
↓ Decreasing & getting better
↑ Increasing
↓ Decreasing



Indicator	Period	Brighton Cluster 5 PCN			Your area list		England		England	
		Recent Trend	Count	Value	Value	Value	Worst/Lowest	Range	Best/Highest	
Mental Health: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	444	0.87%*	1.29%*	0.95%	0.19%		2.36%	
Personalised Care Adjustment (PCA) rate for MH indicators (Persons, All ages)	2020/21	→	90	7.9%*	6.0%*	6.5%	0.5%		50.0%	
Record of BMI in the last 12 months for patients on the MH register (denominator incl. PCAs) (Persons, All ages)	2020/21	—	148	38.8%*	38.4%*	54.4%	13.9%		93.8%	
Record of blood pressure check in preceding 12 months for patients on the MH register (denominator incl. PCAs) (Persons, All ages)	2020/21	↓	146	38.3%*	40.2%*	55.4%	24.6%		86.9%	
% reporting a long-term mental health problem (Persons, 16+ yrs)	2021	—	125	19.0%*	17.1%*	11.0%	3.2%		24.6%	
Dementia: QOF prevalence (all ages) (Persons, All ages)	2020/21	↓	91	0.2%*	0.5%*	0.7%	0.0%		2.2%	
Personalised Care Adjustment (PCA) rate for dementia indicators (Persons, All ages)	2020/21	→	8	8.8%*	7.6%*	8.0%	0.0%		43.7%	
Depression: QOF incidence (18+) - new diagnosis (Persons, 18+ yrs)	2020/21	↑	851	1.8%*	1.7%*	1.4%	0.2%		5.6%	
Newly diagnosed patients with depression who had a review 10-56 days after diagnosis (denominator incl. PCAs) (Persons, 18+ yrs)	2020/21	→	452	53.1%*	33.0%*	47.2%	1.3%		88.4%	
Personalised Care Adjustment (PCA) rate for depression indicator (Persons, 18+ yrs)	2020/21	—	140	16.5%*	21.2%*	21.0%	3.7%		68.9%	

PCN profiles Musculoskeletal conditions [Edit](#)

Data view ▼ Area profiles	Geography ▼ Brighton Cluster 5 PCN PCN in Brighton & Hove PCNs	Indicator list PCN profiles Musculoskeletal conditions
-------------------------------------	---	--

[Show me the profiles these indicators are from](#)

[▶ Legend](#)
[▶ Benchmark](#)
[▶ More options](#)

Lower
 Similar
 Higher
 Not applicable

Recent trends:
 Could not be calculated
 No significant change
 Increasing
 Decreasing



Indicator	Period	Brighton Cluster 5 PCN		Your area list		England		England	
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest
Osteoporosis: QOF prevalence (50+) (Persons, 50+ yrs)	2020/21	➔	16	0.2%*	0.3%*	0.8%	0.0%		3.5%
Rheumatoid Arthritis: QOF prevalence (16+) (Persons, 16+ yrs)	2020/21	➔	119	0.3%*	0.5%*	0.8%	0.0%		1.6%
Patients with rheumatoid arthritis who had a face-to-face review (last 12 mnths) (denominator incl. PCAs) (Persons, 16+ yrs)	2020/21	⬇	45	37.8%*	21.2%*	40.7%	0.2%		97.1%
% reporting a long-term MSK problem (Persons, 16+ yrs)	2021	—	48	7.3%*	13.0%*	17.0%	2.2%		30.3%

PCN profiles Other indicators [Edit](#)

Data view ▼ Area profiles	Geography Brighton Cluster 5 PCN PCN in Brighton & Hove PCNs	Indicator list PCN profiles Other indicators
-------------------------------------	--	--

[Show me the profiles these indicators are from](#)

[▶ Legend](#)
[▶ Benchmark](#)
[▶ More options](#)

● Lower
● Similar
● Higher
○ Not applicable
 Quintiles: Best ○ ○ ○ ○ ○ Worst ○ Not applicable

Recent trends:
 — Could not be calculated
➔ No significant change
⬆ Increasing
⬇ Decreasing



Indicator	Period	Brighton Cluster 5 PCN			Your area list		England		England	
		Recent Trend	Count	Value	Value	Value	Worst/Lowest	Range	Best/Highest	
CKD: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	➔	404	0.9%*	2.7%*	4.0%	0.0%		10.3%	
Epilepsy: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	➔	200	0.4%*	0.7%*	0.8%	0.1%		1.4%	
Learning disability: QOF prevalence (Persons, All ages)	2020/21	➔	126	0.2%*	0.5%*	0.5%	0.0%		1.6%	
% reporting learning disability (Persons, 16+ yrs)	2021	—	27	4.1%*	1.9%*	1.7%	0.0%		8.5%	
Palliative/supportive care: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	44	0.1%*	0.3%*	0.5%	0.0%		1.7%	
% reporting blindness or partial sight (Persons, 16+ yrs)	2021	➔	2	0.3%*	1.2%*	1.4%	0.0%		8.1%	
% reporting deafness or hearing loss (Persons, 16+ yrs)	2021	➔	16	2.5%*	3.8%*	5.5%	0.3%		16.1%	
Total number of prescribed antibiotic items per 1000 registered patients by quarter (Persons, All ages)	2021 Q2	➔	3,076	60.7*	72.9*	94.6	178.7		18.1	