

Brighton & Hove PCN profiles

February 2022

Produced by the Brighton & Hove Public Health Intelligence team

Based on information in

Office for Health Improvement and Disparities. Public health profiles.
2022 <https://fingertips.phe.org.uk> © Crown copyright 2022

Area profiles

Brighton & Hove PCN profiles

West Hove PCN

Each of the profile includes a colour scale which allow easy comparison to the England average.


Lower Similar Higher Not applicable

If a PCN is higher or lower than the England average, this can be considered a statistically significant difference

Where there is no direct comparison to the England average PCN are compared with each other on a best/worst scale

Quintiles: Best Worst Not applicable

PCN profiles Summary indicators [Edit](#)

Data view ▼ Area profiles	 Geography ▼ West Hove PCN PCN in NHS Brighton And Hove CCG	Indicator list PCN profiles Summary indicators
-------------------------------------	--	--

[Show me the profiles these indicators are from](#)

[▶ Legend](#)
[▶ Benchmark](#)
[▶ More options](#)

Indicator	Period	West Hove PCN			CCGs	England	England			
		Recent Trend	Count	Value	(2019/20) Value	Value	Lowest	Range		Highest
% aged 0 to 4 years (Persons, 0-4 yrs)	2021	↓	2,443	5.0%*	3.8%	5.1%*	0.5%			12.1%
% aged 5 to 14 years (Persons, 5-14 yrs)	2021	→	6,227	12.7%*	9.4%	11.8%*	0.6%			21.9%
% aged under 18 years (Persons, <18 yrs)	2021	→	10,449	21.3%*	16.1%	20.2%*	1.2%			38.9%
% aged 65+ years (Persons, 65+ yrs)	2021	→	8,141	16.6%*	12.9%	17.4%*	0.0%			35.7%
% aged 85+ years (Persons, 85+ yrs)	2021	↓	1,065	2.2%*	1.6%	2.1%*	0.0%			5.3%
% aged 75+ years (Persons, 75+ yrs)	2021	→	3,813	7.8%*	5.7%	7.9%*	0.0%			18.1%
% with a long-standing health condition (Persons, 16+ yrs)	2021	→	336	51.0%*	50.2%	51.1%	27.3%			73.9%
% with caring responsibility (Persons, 16+ yrs)	2021	→	129	19.3%*	16.0%	18.2%	1.0%			32.6%
% reporting to be in paid work or in full-time education (Persons, 16+ yrs)	2021	→	419	62.5%*	65.7%	61.8%	41.3%			95.0%
% reporting to be unemployed (Persons, 16+ yrs)	2021	→	24	3.5%*	5.7%	5.5%	0.0%			17.6%

PCN profiles Risk factors [Edit](#)

Data view ▼
 Area profiles


Geography ▼
 West Hove PCN
 PCN in NHS Brighton And Hove CCG

Indicator list
 PCN profiles Risk factors

[Show me the profiles these indicators are from](#)

[▶ Legend](#)
 [▶ Benchmark](#)
 [▶ More options](#)

Indicator	Period	West Hove PCN			CCGs England (2019/20)		England			
		Recent Trend	Count	Value	Value	Value	Lowest	Range	Highest	
Hypertension: QOF prevalence (all ages) (Persons, All ages)	2020/21	➔	6,389	13.0%*	9.6%	13.9%	0.1%		24.3%	
Personalised Care Adjustment (PCA) rate for hypertension indicator (Persons, All ages)	2020/21	➔	202	3.2%*	3.6%	4.1%	1.3%		39.4%	
Patients, aged 45+, who have a record of blood pressure (last 5yrs)(denominator incl. PCAs) (Persons, 45+)	2020/21	⬇	18,873	85.3%*	82.6%	86.5%	65.9%		93.7%	
Obesity: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	➔	2,234	5.8%*	4.2%	6.9%	0.4%		19.4%	
Estimated smoking prevalence (QOF) (Persons, 15+ yrs)	2020/21	⬇	7,155	17.7%*	19.4%	15.9%	5.0%		34.3%	
Personalised Care Adjustment (PCA) rate for smoking indicators (Persons, 15+ yrs)	2020/21	➔	155	0.8%*	1.1%	0.9%	0.3%		13.2%	
% of active smokers (GPPS) (Persons, 16+ yrs)	2021	➔	120	17.6%*	18.7%	14.3%	4.2%		32.2%	
% of former smokers (GPPS) (Persons, 16+ yrs)	2021	➔	223	32.9%*	31.3%	26.7%	7.5%		39.3%	
Smoking status of patients with certain conditions is recorded in last 12 mths , denominator incl. PCAs (Persons, All ages)	2020/21	➔	9,756	89.0%*	84.5%	89.4%	75.2%		98.6%	
Record of offer of support and treatment for smokers (15+, last 24 mnths), denominator incl. PCAs (Persons, 15+ yrs)	2020/21	⬇	5,412	75.6%*	65.4%	75.5%	40.3%		98.5%	
Smoking cessation support and treatment offered to patients with certain conditions, denominator incl. PCAs (Persons, All ages)	2020/21	➔	1,204	67.7%*	62.8%	72.8%	29.6%		99.6%	

PCN profiles Cancer v2 [Edit](#)

Data view ▾

Area profiles



Geography ▾

West Hove PCN

PCN in NHS Brighton And Hove CCG

Indicator list

PCN profiles Cancer v2

[how me the profiles these indicators are from](#)

▾ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

● Lower ● Similar ● Higher ○ Not applicable

Recent trends: — Could not be calculated → No significant change ↑ Increasing ↓ Decreasing



Indicator	Period	West Hove PCN		CCGs England (2019/20)		England		Lowest	Range	Highest
		Recent Trend	Count	Value	Value	Value				
Cancer: QOF prevalence (all ages) (Persons, All ages)	2020/21	↑	1,395	2.8%*	2.4%	3.2%	0.2%		6.7%	
% reporting cancer in the last 5 years (Persons, 16+ yrs)	2021	→	17	2.8%*	2.5%	3.1%	0.1%		7.9%	
New cancer cases (Crude incidence rate: new cases per 100,000 population) (Persons, All ages)	2019/20	—	-	-	428	531	-	Insufficient number of values for a spine chart		
Number of emergency admissions with cancer (Number per 100,000 population) (Persons, All ages)	2020/21	↓	140	285*	259*	456*	6		1,185	
Number of emergency presentations (Number per 100,000 population) (Persons, All ages)	2020/21	→	29	59*	55*	87*	2		193	
Patients with cancer reviewed within 6 mths of diagnosis (denominator incl. PCAs) (Persons, All ages)	2020/21	→	85	66.4%*	57.1%	78.4%	0.7%		100%	
Persons, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (Female, 50-70 yrs)	2020/21	↓	4,091	64.9%*	57.9%	61.3%	9.2%		82.3%	
Persons, 50-70, screened for breast cancer within 6 months of invitation (Uptake, %) (Female, 50-70 yrs)	2020/21	→	40	53.3%*	60.7%	62.8%	9.7%		100%	
Persons, 60-74, screened for bowel cancer in last 30 months (2.5 year coverage, %) (Persons, 60-74 yrs)	2020/21	↑	4,827	68.8%*	65.9%	66.8%	39.9%		79.1%	
Persons, 60-74, screened for bowel cancer within 6 months of invitation (Uptake, %) (Persons, 60-74 yrs)	2020/21	↑	2,487	73.5%*	69.6%	70.7%	33.3%		82.8%	
Two-week wait referrals for suspected cancer (Number per 100,000 population) (Persons, All ages)	2020/21	↓	1,735	3,531*	3233	3389	489		6,446	
Two-week referrals resulting in a diagnosis of cancer (Conversion rate: as % of all TWW referrals). (Persons, All ages)	2020/21	→	104	6.0%*	5.8%*	7.0%*	1.1%		14.5%	

PCN profiles CHD stroke and heart failure [Edit](#)

Data view ▼
Area profiles



Geography

West Hove PCN

PCN in NHS Brighton And Hove CCG

Indicator list


PCN profiles CHD stroke and heart failure

[Show me the profiles these indicators are from](#)

[Legend](#) [Benchmark](#) [More options](#)

Indicator	Period	West Hove PCN		CCGs	England	England			
		Recent Trend	Count	Value	(2019/20) Value	Value	Lowest	Range	Highest
CHD: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	1,405	2.9%*	2.1%	3.0%	0.0%		6.5%
Personalised Care Adjustment (PCA) rate for CHD indicators (Persons, All ages)	2020/21	→	214	5.1%*	6.9%	6.7%	2.6%		20.4%
Patients with CHD immunised against flu (den.incl.PCAs) (Persons, All ages)	2020/21	→	1,126	80.1%*	78.8%	82.0%	50.0%		91.6%
For patients with CHD, a record that aspirin, APT or ACT is taken exists (den. incl. PCAs) (Persons, All ages)	2020/21	↓	1,200	85.4%*	85.8%	88.5%	50.0%		97.4%
Last BP reading of patients (<80yrs, with CHD) in last 12mths is <=140/90 (denominator includes PCAs) (Persons, <80 yrs)	2020/21	—	507	52.6%*	48.1%	54.9%	23.1%		86.0%
Last BP reading of patients (80+ yrs, with CHD) in last 12mths is <=150/90 (denominator includes PCAs) (Persons, 80+ yrs)	2020/21	—	295	66.9%*	60.2%	64.6%	31.0%		100%
Stroke: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	799	1.6%*	1.3%	1.8%	0.0%		3.8%
Personalised Care Adjustment (PCA) rate for stroke indicators (Persons, All ages)	2020/21	→	140	6.7%*	8.1%	8.5%	3.3%		57.1%
For patients with stroke a record exists that an anti-platelet agent or an anti-coagulant is taken (denominator incl. PCAs) (Persons, All ages)	2020/21	→	453	89.5%*	86.6%	88.9%	0.0%		97.4%
Patients with stroke who got influenza immunisation given 1 Aug-31 Mar (denominator incl. PCAs) (Persons, All ages)	2020/21	→	611	76.5%*	76.4%	79.4%	0.0%		89.9%
Last BP reading of patients (<80yrs, with a history of stroke or TIA) in last 12mths is <=140/90 (denominator incl. PCAs) (Persons, <80 yrs)	2020/21	—	247	48.5%*	46.1%	50.7%	0.0%		78.7%
Last BP reading of patients (80+ yrs, with a history of stroke or TIA) in last 12mths is <=150/90 (denominator incl. PCAs) (Persons, 80+ yrs)	2020/21	—	189	65.2%*	58.5%	62.9%	30.6%		100%
Heart Failure: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	361	0.7%*	0.6%	0.9%	0.0%		3.5%
Heart failure w LVSD: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	94	0.2%*	0.1%	0.4%	0.0%		1.6%
Personalised Care Adjustment (PCA) rate for heart failure indicators - retired after 2019/20 (due to changes with contributing indicators) (Persons, All ages)	2019/20	→	34	6.8%*	8.1%	8.3%	1.7%		18.5%
Atrial fibrillation: QOF prevalence (Persons, All ages)	2020/21	→	915	1.9%*	1.5%	2.0%	0.0%		4.5%
Personalised Care Adjustment (PCA) rate for atrial fibrillation indicators (Persons, All ages)	2020/21	→	45	4.2%*	5.1%	3.6%	0.0%		16.6%

PCN profiles Diabetes [Edit](#)

Data view ▼ Area profiles	 Geography ▼ West Hove PCN PCN in NHS Brighton And Hove CCG	Indicator list PCN profiles Diabetes
-------------------------------------	---	--

[how me the profiles these indicators are from](#)

[▶ Legend](#)
[▶ Benchmark](#)
[▶ More options](#)

Indicator	Period	West Hove PCN			CCGs	England		England		Highest
		Recent Trend	Count	Value	(2019/20)	Value	Value	Lowest	Range	
Diabetes: QOF prevalence (17+) (Persons, 17+ yrs)	2020/21	→	2,424	6.2%*	4.3%	7.1%	0.3%		15.6%	
Personalised Care Adjustment (PCA) rate for diabetes indicators (Persons, 17+ yrs)	2020/21	→	1,207	10.1%*	10.0%	10.3%	4.1%		31.9%	
IFCC-HbA1c <=58mmol/mol in patients with diabetes without frailty (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	—	1,055	49.7%*	43.8%	46.7%	24.3%		63.7%	
IFCC-HbA1c <=75mmol/mol in patients with diabetes and frailty (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	—	222	73.5%*	69.6%	72.7%	47.1%		100%	
Newly diagnosed patients w. diabetes referred to education programme within 9 mths (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	→	70	53.0%*	44.3%	51.1%	3.7%		93.4%	
Flu vaccination coverage of patients with diabetes (denominator incl. PCAs) (Persons, 17+ yrs)	2020/21	→	1,825	75.3%*	74.3%	76.7%	49.0%		89.5%	

PCN profiles Respiratory disease [Edit](#)

Data view ▼

Area profiles



Geography ▼

West Hove PCN

PCN in NHS Brighton And Hove CCG

Indicator list

PCN profiles Respiratory disease

[how me the profiles these indicators are from](#)

▶ [Legend](#)

▶ [Benchmark](#)

▶ [More options](#)

Indicator	Period	West Hove PCN			CCGs	England		England	
		Recent Trend	Count	Value	(2019/20) Value	Value	Lowest	Range	Highest
COPD: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	962	2.0%*	1.5%	1.9%	0.0%		4.7%
Personalised Care Adjustment (PCA) rate for COPD indicators - retired after 2019/20 (due to changes in contributing indicators) (Persons, All ages)	2019/20	→	390	13.7%*	21.3%	18.2%	7.4%		50.0%
Asthma: QOF prevalence (all ages) - retired after 2019/20 (now 6+ yrs) (Persons, All ages)	2019/20	↑	3,553	7.2%*	6.0%	6.5%	2.3%		10.0%
Personalised Care Adjustment (PCA) rate for asthma indicators - retired after 2019/20 (due to changes in contributing indicators) (Persons, All ages)	2019/20	→	331	6.5%*	14.3%	9.9%	1.0%		36.5%

PCN profiles Mental health [Edit](#)

Data view ▼

Area profiles



Geography ▼

West Hove PCN

PCN in NHS Brighton And Hove CCG

Indicator list


PCN profiles Mental health

[Show me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)





Indicator	Period	West Hove PCN		CCGs	England	England		Best/ Highest	
		Recent Trend	Count	Value	(2019/20) Value	Value	Worst/ Lowest		Range
Mental Health: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	526	1.07%*	1.29%	0.95%	0.19%		2.36%
Personalised Care Adjustment (PCA) rate for MH indicators (Persons, All ages)	2020/21	→	89	7.0%*	5.9%	6.5%	0.5%		50.0%
Record of BMI in the last 12 months for patients on the MH register (denominator incl. PCAs) (Persons, All ages)	2020/21	—	215	50.8%*	38.8%	54.4%	13.9%		93.8%
Record of blood pressure check in preceding 12 months for patients on the MH register (denominator incl. PCAs) (Persons, All ages)	2020/21	↓	219	51.8%*	40.3%	55.4%	24.6%		86.9%
% reporting a long-term mental health problem (Persons, 16+ yrs)	2021	—	78	13.0%*	17.1%	11.0%	3.2%		24.6%
Dementia: QOF prevalence (all ages) (Persons, All ages)	2020/21	→	331	0.7%*	0.5%	0.7%	0.0%		2.2%
Personalised Care Adjustment (PCA) rate for dementia indicators (Persons, All ages)	2020/21	→	21	6.3%*	7.6%	8.0%	0.0%		43.7%
Depression: QOF incidence (18+) - new diagnosis (Persons, 18+ yrs)	2020/21	→	712	1.8%*	1.7%	1.4%	0.2%		5.6%
Newly diagnosed patients with depression who had a review 10-56 days after diagnosis (denominator incl. PCAs) (Persons, 18+ yrs)	2020/21	→	199	27.9%*	33.1%	47.2%	1.3%		88.4%
Personalised Care Adjustment (PCA) rate for depression indicator (Persons, 18+ yrs)	2020/21	—	170	23.9%*	21.3%	21.0%	3.7%		68.9%

PCN profiles Musculoskeletal conditions [Edit](#)

Data view ▼ Area profiles	 Geography ▼ West Hove PCN PCN in NHS Brighton And Hove CCG	Indicator list PCN profiles Musculoskeletal conditions
-------------------------------------	--	--

[how me the profiles these indicators are from](#)

▶ [Legend](#) ▶ [Benchmark](#) ▶ [More options](#)

Indicator	Period	West Hove PCN		CCGs England (2019/20)		England		Range	Highest
		Recent Trend	Count	Value	Value	Value	Lowest		
Osteoporosis: QOF prevalence (50+) (Persons, 50+ yrs)	2020/21	→	65	0.4%*	0.3%	0.8%	0.0%		3.5%
Rheumatoid Arthritis: QOF prevalence (16+) (Persons, 16+ yrs)	2020/21	→	311	0.8%*	0.5%	0.8%	0.0%		1.6%
Patients with rheumatoid arthritis who had a face-to-face review (last 12 mnths) (denominator incl. PCAs) (Persons, 16+ yrs)	2020/21	→	122	39.2%*	21.3%	40.7%	0.2%		97.1%
% reporting a long-term MSK problem (Persons, 16+ yrs)	2021	—	98	16.4%*	13.0%	17.0%	2.2%		30.3%

PCN profiles Other indicators [Edit](#)

Data view ▼

Area profiles



Geography ▼

West Hove PCN

PCN in NHS Brighton And Hove CCG

Indicator list

PCN profiles Other indicators

[how me the profiles these indicators are from](#)

▶ [Legend](#)

▶ [Benchmark](#)

▶ [More options](#)

Indicator	Period	West Hove PCN			CCGs	England	England		
		Recent Trend	Count	Value	(2019/20) Value	Value	Worst/ Lowest	Range	Best/ Highest
CKD: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	↓	1,414	3.7%*	2.7%	4.0%	0.0%		10.3%
Epilepsy: QOF prevalence (18+) (Persons, 18+ yrs)	2020/21	→	330	0.9%*	0.7%	0.8%	0.1%		1.4%
Learning disability: QOF prevalence (Persons, All ages)	2020/21	→	273	0.6%*	0.5%	0.5%	0.0%		1.6%
% reporting learning disability (Persons, 16+ yrs)	2021	—	13	2.1%*	1.9%	1.7%	0.0%		8.5%
Palliative/supportive care: QOF prevalence (all ages) (Persons, All ages)	2020/21	↑	185	0.4%*	0.3%	0.5%	0.0%		1.7%
% reporting blindness or partial sight (Persons, 16+ yrs)	2021	→	10	1.6%*	1.2%	1.4%	0.0%		8.1%
% reporting deafness or hearing loss (Persons, 16+ yrs)	2021	→	24	4.1%*	3.8%	5.5%	0.3%		16.1%
Total number of prescribed antibiotic items per 1000 registered patients by quarter (Persons, All ages)	2021 Q3	→	4,672	94.8*	83.2	108.0	585.1		15.6