
Brighton & Hove Public Health Framework for Assessing Alcohol Licensing

Annual report – ward level 5th edition

Public Health Intelligence January 2019



Contents

Brunswick and Adelaide	5
Central Hove	5
East Brighton	7
Goldsmid	8
Hangleton and Knoll	9
Hanover and Elm Grove	10
Hollingdean and Stanmer	11
Hove Park	11
Moulsecoomb and Bevendean	13
North Portslade	14
Patcham	14
Preston Park	16
Queen's Park	16
Regency	18
Rottingdean Coastal	19
South Portslade	20
St. Peter's and North Laine	21
Westbourne	22
Wish	23
Withdean	24
Woodingdean	25
Mapping	27
Appendix 1: Alcohol Specific and Alcohol Attributable Conditions	40

Notes on the data Crime and disorder data

All crime and disorder data is for the 2017-18 period.

Data used in this report is downloaded from the live system at Sussex Police each month. This data has not been audited or verified by statisticians at Police HQ, therefore it represents a reflection of crime and disorder in the area, rather than the authorised and fully verified 'performance data'.

Only those crimes and incidents where there was sufficient location information to map to ward level have been included.

It is important to note that the Police crime statistics used in this report are proxy indicators for alcohol related crime and will not all be alcohol related. These crime types have been chosen as they are most likely to be associated with alcohol.

Injury Violence includes all assault with injury offences, as well as violence against the person offences of greater severity such as murder, attempted murder and manslaughter.

Non-injury assaults include common assault and battery offences, racially or religiously motivated common assault or beating offences, and assaults on a constable.

All *Violence Against the Person* offences include injury violence, non-injury assaults, as well as a range of harassment and other offences.

Criminal damage offences can include damage to dwellings, vehicles or buildings 'other than a dwelling'.

Sexual offences include rape and other sexual offences, such as sexual assault and sexual activity involving children.

Data has been extracted using 'CADDIE' categories and police input date, and includes historical offences.

There have been ongoing and significant changes to the recording of violent crime since this report was first published, and therefore crime figures are not comparable to previous editions.

Police recorded alcohol related incidents are extracted from the police incident database using a search on the free text field (filled out as the call comes in) on the words alcohol, drink and drunk.

A police recorded incident is defined as 'a single distinct event or occurrence which disturbs an individual's, group's or community's quality of life or causes them concern'. Due to recent changes to the way this data is cleaned and extracted from the police incident database please note that alcohol related incident data is not comparable with previous editions of this report.

It is not considered appropriate to produce a rate per ward, as with health data, as comparison between an incident (which is likely to occur away from an individual's place of residence) and a resident population would not be correct.

Health data

Rates per 100,000 are for adults aged 15-59 years unless otherwise stated.

Increasing risk or higher risk drinking data is derived from the Health Counts Survey 2012. The data presented here is unchanged from that reported originally in September 2014 and is based on guidance that pre-dates that of the Chief Medical Officer of January 2016¹. Increasing risk is defined as usual consumption of between 22 and 50 units of alcohol per week for men and between 15 and 35 units of alcohol per week for women. Higher risk drinking is defined as usual consumption of over 50 units of alcohol per week for men, and over 35 units of alcohol per week for women. Based upon place of residence.

Alcohol suspected ambulance call outs data is for financial year 2017/18 by ward (based on the 'Response Area'), and comes from South East Coast Ambulance Service. Ambulance patient clinical records (PCR) now contain an indicator for whether the crew on the scene suspect that alcohol has been involved with the incident. This has been collected since calendar year 2011. The guidance for collecting this data asks that a 'x' is placed in a designated box if alcohol is suspected. It is very much a judgment call of the crew on the scene, which will differ between individuals. Due to scanning and data validation, PCR data is 80-90% accurate. Additionally, diagnoses related to alcohol are also included, in addition to or as well as the 'suspected' field having been ticked. Given these caveats, it will not be a complete picture of the burden that alcohol places on ambulance services. However, it provides some quantification of alcohol related ambulance call outs, demographics of patients involved in such incidents, geographical areas where the totals are higher and the health implications (whether resulting in falls, overdose/poisoning etc). Based upon location of the call out.

A&E attendances with a record of alcohol is for 2017/18 and based on a key word search for terms related to alcohol applied to an extract from the main A&E system by Brighton & Sussex University Hospital Trust. These figures are collated from key word searches on the electronic A&E record and so could well underestimate the total attendances attributable to alcohol where the diagnosis has not referenced this causal factor. Data is for Brighton and Hove residents, aged 18 years or over. Based on place of residence.

Clients in Alcohol Treatment adults aged 18 years or over in Tier 3 (structured treatment) during 2017/18 financial year as a rate per *100,000* aged 18 years and over. Based on place of residence.

Hospital admissions: wholly attributable (specific) alcohol conditions 2017/18 comes from Health Episode Statistics (HES). This data is for alcohol specific person based admissions that are wholly attributable to alcohol, for example, alcohol-induced behavioural disorders and alcohol-related liver cirrhosis. The alcohol-attributable fraction is 1.0 because all cases (100%) are caused by alcohol.


Alcohol Related Mortality 2015-2017 this data is extracted from the NHS Mortality File, using the updated alcohol-attributable fractions to calculate alcohol-specific mortality.

In March 2017 Public Health England published details of datasets or sources of information available to examine the impact of alcohol licensing. This information can be viewed at:

alcohol-licensing-data-for-public-health-teams

¹ <u>UK Chief Medical Officers Alcohol Guidelines Review, Department of Health, 2016</u>


Brunswick and Adelaide



Crime and disorder data	Number	Rank (1=worst)
All violence against the person:	321	11
All injury violence	80	11
Non-injury assault	100	12
Sexual offences	30	11
Criminal damage	85	14
Police recorded alcohol related		
incidents	126	8

Health data			1	
	%	Rank	Significance	
Increasing risk or higher risk drinking	19%	9	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	121	8		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	28	286.0	13	NS
Clients in alcohol treatment	Number 30	Rate per 100,000 306.4	Rank 9	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	13	132.8	5	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	68	694.5	13	NS

Central Hove



Central Hove		
Crime and disorder data	Number	Rank (1=worst)
All violence against the person:	403	8
All injury violence	92	9
Non-injury assault	117	9
Sexual offences	37	7
Criminal damage	100	11
Police recorded alcohol related		
incidents	260	4
Health data	200	4

Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	19%	10	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	294	4		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	51	613.3	4	SigHigh
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	35	420.9	6	
Alcohol related mortality 2015-17	Total	Rate per 100,000 204.4	Rank 2	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	105	1262.6	4	SigHigh


East Brighton



		Rank
Crime and disorder data	Number	(1=worst)
All violence against the person:	644	4
All injury violence	159	4
Non-injury assault	195	4
Sexual offences	72	4
Criminal damage	173	5
Police recorded alcohol related		
incidents	231	5

Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	13%	16	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	236	5		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	69	610.9	5	SigHigh
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	65	575.5	1	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	18	159.4	4	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	150	1328.0	2	SigHigh

Goldsmid



Goldsmid			
Crime and disorder data	Number	Rank (1=worst)	
All violence against the person:	354	9	
All injury violence	74	13	
Non-injury assault	109	11	
Sexual offences	31	10	
Criminal damage	80	16	
Police recorded alcohol related			
incidents	108	10	
Health data			
	%	Rank	Signific


	%	Rank	Significance	
Increasing risk or higher risk drinking	24%	3	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	131	7		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	49	364.1	9	NS
Clients in alcohol treatment	Number 57	Rate per 100,000 423.6	Rank 5	
	57		5	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	16	118.9	10	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	102	758.0	5	SigLow

Hangleton and Knoll




Hangleton and KnollCrime and disorder dataNumberRank (1=worst)All violence against the person:5305All injury violence1445Non-injury assault1655Sexual offences329Criminal damage1566	
Crime and disorder dataNumber(1=worst)All violence against the person:5305All injury violence1445Non-injury assault1655Sexual offences329Criminal damage1566	
All violence against the person:5305All injury violence1445Non-injury assault1655Sexual offences329Criminal damage1566	
All injury violence1445Non-injury assault1655Sexual offences329Criminal damage1566	
Non-injury assault1655Sexual offences329Criminal damage1566	
Sexual offences329Criminal damage1566	
Criminal damage 156 6	
Police recorded alcohol related	
incidents 139 6	
Health data	
% Rank Significance	
Increasing risk or higher risk drinking 10% 18 NS	
Number Rank	
Alcohol suspected ambulance call outs 96 12	
Rate per	
A&E attendances with a record of Number 100,000 Rank Sig	gnificance
alcohol 20 173.8 19	SigLow
Rate per	
Number 100,000 Rank	
Clients in alcohol treatment 28 243.3 17	
Rate per	
Total 100,000 Rank	
Alcohol related mortality 2015-17 15 130.3 6	
Rate per	
100,000 Rank	
	gnificance
	NS

Hanover and Elm Grove




Hanover and Elm Grove]	
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	350	10		
All injury violence	99	8		
Non-injury assault	114	10		
Sexual offences	29	13		
Criminal damage	147	7		
Police recorded alcohol related				
incidents	104	11		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	22%	4	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	143	6		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	63	421.7	7	NS
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	40	267.7	15	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	18	120.5	9	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	102	682.7	5	NS

Hollingdean and Stanmer



Hollingdean and Stanmer]	
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	455	7		
All injury violence	108	7		
Non-injury assault	158	6		
Sexual offences	45	6		
Criminal damage	127	8		
Police recorded alcohol related				
incidents	124	9		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	21%	7	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	119	9		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	60	402.8	8	NS
Clients in alcohol treatment	Number 57	Rate per 100,000 382.7	Rank 8	
	57		0	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	19	127.6	7	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	83	557.2	10	NS


Hove Park



Hove Park				
Crime and disorder data	Number	Rank (1=worst)		
All violence against the person:	164	21		
All injury violence	38	21		
Non-injury assault	59	20		
Sexual offences	18	18		
Criminal damage	59	20		
Police recorded alcohol related incidents	57	19		
Health data				


Health data			-	
	%	Rank	Significance	
Increasing risk or higher risk drinking	14%	15	NS	
Alcohol suspected ambulance call	Number	Rank		
outs	38	20		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	12	142.9	20	SigLow
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	11	131.0	21	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	Fewer than 5	-	0	
	Takat	Rate per 100,000	Rank	0
	Total	(18+)	(1=worst)	Significance
Alcohol specific admissions 2017/18	25	159.8	21	SigLow

Moulsecoomb and Bevendean



Moulsecoomb and Bevendean				
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	485	6		
All injury violence	131	6		
Non-injury assault	157	7		
Sexual offences	50	5		
Criminal damage	196	4		
Police recorded alcohol related				
incidents	99	12		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	8%	20	SigLow	
	Number	Rank		
Alcohol suspected ambulance call outs	100	10		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	55	351.6	11	NS
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	46	294.1	13	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	10	63.9	18	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	88	1114.1	8	SigLow

North Portslade



North Portslade				
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	259	16		
All injury violence	56	17		
Non-injury assault	98	13		
Sexual offences	17	19		
Criminal damage	75	17		
Police recorded alcohol related				
incidents	50	20		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	12%	17	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	29	21		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	18	227.9	15	SigLow
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	16	202.6	20	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	10	126.6	8	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	67	577.7	15	NS


Patcham



Crime and disorder data	Number	Rank (1=worst)
All violence against the person:	317	13
All injury violence	65	15
Non-injury assault	118	8
Sexual offences	23	16
Criminal damage	109	9
Police recorded alcohol related		
incidents	87	15

Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	8%	21	SigLow	
	Number	Rank		
Alcohol suspected ambulance call outs	62	17		
		Rate per		
A&E attendances with a record of	Number	100,000	Rank	Significance
alcohol	15	129.3	21	SigLow
		Rate per		
	Number	100,000	Rank	
Clients in alcohol treatment	28	241.4	18	
		Rate per		
	Total	100,000	Rank	
Alcohol related mortality 2015-17	9	77.6	15	
		Rate per		
		100,000	Rank	
	Total	(18+)	(1=worst)	Significance
Alcohol specific admissions 2017/18	48	384.7	18	NS

Preston Park



Preston Park		
		Rank
Crime and disorder data	Number	(1=worst)
All violence against the person:	288	15
All injury violence	83	10
Non-injury assault	77	19
Sexual offences	30	11
Criminal damage	84	15
Police recorded alcohol related		
incidents	93	14

Ilcaltil uata				
	%	Rank	Significance	
Increasing risk or higher risk drinking	17%	13	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	78	14		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	38	304.6	12	NS
Clients in alcohol treatment	Number 48	Rate per 100,000 384.7	Rank 7	
Alcohol related mortality 2015-17	Total 8	Rate per 100,000 64.1	Rank 17	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	68	491.5	13	SigLow

Queen's Park



Queen's Park		
		Rank
Crime and disorder data	Number	(1=worst)
All violence against the person:	1111	3
All injury violence	310	3
Non-injury assault	367	3
Sexual offences	87	3
Criminal damage	255	2
Police recorded alcohol related		
incidents	456	3

Health data			1	
	%	Rank	Significance	
Increasing risk or higher risk drinking	26%	2	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	551	3		
	Number	Rate per	Rank	Significance
A&E attendances with a record of	пипрег	100,000	Ralik	Significance
alcohol	137	990.2	1	SigHigh
		Rate per		
	Number	100,000	Rank	
Clients in alcohol treatment	79	571.0	2	
		Rate per		
	Total	100,000	Rank	
Alcohol related mortality 2015-17	40	289.1	1	
		Rate per		
		100,000	Rank	
	Total	(18+)	(1=worst)	Significance
Alcohol specific admissions 2017/18	269	2567.0	1	SigHigh


Regency



Regency				
Crime and disorder data	Number	Rank (1=worst)		
All violence against the person:	1899	1		
All injury violence	675	1		
Non-injury assault	648	1		
Sexual offences	132	1		
Criminal damage	251	3		
Police recorded alcohol related				
incidents	574	2		
Health data				


Health data			1	
	%	Rank	Significance	
Increasing risk or higher risk drinking	17%	12	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	625	2		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	74	706.2	2	SigHigh
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	53	505.8	3	
Alaphal related martality 2015 17	Total	Rate per 100,000 171.8	Rank 3	
Alcohol related mortality 2015-17	10	1/1.0	3	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	82	684.8	12	NS

Rottingdean Coastal




Rottingdean Coastal]	
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	319	12		
All injury violence	69	14		
Non-injury assault	98	13		
Sexual offences	20	17		
Criminal damage	91	13		
Police recorded alcohol related				
incidents	131	7		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	16%	14	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	100	10		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	34	283.9	14	NS
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	36	300.7	11	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	8	66.8	16	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	59	331.8	16	SigLow

South Portslade




South Portslade				
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	305	14		
All injury violence	76	12		
Non-injury assault	95	15		
Sexual offences	34	8		
Criminal damage	96	12		
Police recorded alcohol related				
incidents	95	13		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	20%	8	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	76	15		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	42	547.9	6	NS
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	23	300.0	12	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	7	91.3	13	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	83	1082.7	10	NS

St. Peter's and North Laine



St. Peter's and North Laine				
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	1455	2		
All injury violence	393	2		
Non-injury assault	485	2		
Sexual offences	100	2		
Criminal damage	356	1		
Police recorded alcohol related				
incidents	672	1		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	28%	1	SigHigh	
	Number	Rank		
Alcohol suspected ambulance call outs	657	1		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	112	629.9	3	SigHigh
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	80	449.9	4	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	19	106.8	12	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	131	1560.1	3	NS


Westbourne



Crime and disorder data	Number	Rank (1=worst)
All violence against the person:	205	19
All injury violence	49	20
Non-injury assault	80	18
Sexual offences	15	21
Criminal damage	62	19
Police recorded alcohol related		
incidents	71	18

Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	19%	11	NS	
Alcohol suspected ambulance call	Number	Rank		
outs	89	13		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	30	358.3	10	NS
Clients in alcohol treatment	Number 23	Rate per 100,000 274.7	Rank 14	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	Fewer than 5	-	0	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	97	1158.3	7	NS


Wish



Wish		
		Rank
Crime and disorder data	Number	(1=worst)
All violence against the person:	233	17
All injury violence	57	16
Non-injury assault	85	17
Sexual offences	24	15
Criminal damage	104	10
Police recorded alcohol related		
incidents	72	17

Health data	1	I	1	
	%	Rank	Significance	
Increasing risk or higher risk drinking	22%	5	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	58	18		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	14	183.9	17	SigLow
Clients in alcohol treatment	Number 20	Rate per 100,000 262.7	Rank 16	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	9	118.2	11	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	36	472.9	20	NS

Withdean



Withdean		
Crime and disorder data	Number	Rank (1=worst)
All violence against the person:	231	18
All injury violence	51	18
Non-injury assault	86	16
Sexual offences	16	20
Criminal damage	69	18
Police recorded alcohol related		
incidents	85	16
Health data		

Ilealui uata			1	
	%	Rank	Significance	
Increasing risk or higher risk drinking	21%	6	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	63	16		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	21	174.0	18	SigLow
Clients in alcohol treatment	Number 28	Rate per 100,000 231.9	Rank 19	
Alcohol related mortality 2015-17	Total 10	Rate per 100,000 82.8	Rank 14	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	37	306.5	19	SigLow

Woodingdean



Woodingdean				
		Rank		
Crime and disorder data	Number	(1=worst)		
All violence against the person:	181	20		
All injury violence	50	19		
Non-injury assault	53	21		
Sexual offences	26	14		
Criminal damage	51	21		
Police recorded alcohol related				
incidents	34	21		
Health data				
	%	Rank	Significance	
Increasing risk or higher risk drinking	9%	19	NS	
	Number	Rank		
Alcohol suspected ambulance call outs	48	19		
A&E attendances with a record of	Number	Rate per 100,000	Rank	Significance
alcohol	16	201.6	16	SigLow
	Number	Rate per 100,000	Rank	
Clients in alcohol treatment	24	302.3	10	
	Total	Rate per 100,000	Rank	
Alcohol related mortality 2015-17	5	63.0	19	
	Total	Rate per 100,000 (18+)	Rank (1=worst)	Significance
Alcohol specific admissions 2017/18	54	680.3	17	NS


2017/18 Ward summary grid (ward ranks of 21 wards where 1=worst)


Ward	Overall average rank	Crime and disorder data average rank	All violence again the person	All injury violence	Non-injury assault	Sexual offences	Criminal damage	Police recorded alcohol related incidents	Health data average rank	Increasing or higher risk drinking	Alcohol suspected ambulance call outs	A&E attendances with a record of alcohol	Residents in Treatment for Alcohol	Alcohol Related Deaths
Brunswick and Adelaide	10	11	11	11	12	11	14	8	9	9	8	13	9	5
Central Hove	7	8	8	9	9	7	11	4	6	10	4	4	6	2
East Brighton	6	4	4	4	4	4	5	5	8	16	5	5	1	4
Goldsmid	9	12	9	13	11	10	16	10	6	3	7	9	5	10
Hangleton and Knoll	11	6	5	5	5	9	6	6	15	18	12	19	17	6
Hanover and Elm Grove	9	10	10	8	10	13	7	11	8	4	6	7	15	9
Hollingdean and Stanmer	7	7	7	7	6	6	8	9	8	7	9	8	8	7
Hove Park	18	20	21	21	20	18	20	19	15	15	20	20	21	0
Moulsecoomb and Bevendean	11	7	6	6	7	5	4	12	15	20	10	11	13	18
North Portslade	17	17	16	17	13	19	17	20	16	17	21	15	20	8
Patcham	16	13	13	15	8	16	9	15	19	21	17	21	18	15
Preston Park	13	14	15	10	19	11	15	14	13	13	14	12	7	17
Queen's Park	2	3	3	3	3	3	2	3	2	2	3	1	2	1
Regency	4	2	1	1	1	1	3	2	6	12	2	2	3	3
Rottingdean Coastal	13	13	12	14	13	17	13	7	13	14	10	14	11	16
South Portslade	11	12	14	12	15	8	12	13	10	8	15	6	12	13
St. Peter's and North Laine	3	2	2	2	2	2	1	1	4	1	1	3	4	12
Westbourne	15	19	19	20	18	21	19	18	10	11	13	10	14	0
Wish	14	15	17	16	17	15	10	17	12	5	18	17	16	11
Withdean	15	18	18	18	16	20	18	16	13	6	16	18	19	14
Woodingdean	18	19	20	19	21	14	21	21	17	19	19	16	10	19


Mapping


- 1. Police recorded alcohol related incidents 2017/18
- 2. Police recorded violence against the person offences 2017/18
- 3. Police recorded criminal damage offences 2017/18
- 4. Noise complaints regarding licensed premises 2017/18
- 5. Supported accommodation, mental health services, substance misuse treatment centres and off licences August 2018
- 6. Count of off licences per ward and supported accommodation, mental health services and substance misuse treatment centres August 2018
- 7. All alcohol licences August 2018
- 8. Off-sale only licensed premises August 2018
- 9. On-sale only licensed premises August 2018
- 10. Both on and off sale licensed premises August 2018
- 11. Clients in alcohol treatment in 2017/18 by ward
- 12. Alcohol Related A&E Attendances 2017/18 by ward


Please note that due to changes in Police recording practices, maps of police recorded violence against the person offences, as well as police recorded alcohol related incidents and should not be directly compared with hotspot maps contained in previous editions of this report
































Appendix 1: Alcohol Specific and Alcohol Attributable Conditions Hospital admissions for Alcohol Specific Conditions includes diagnoses were the condition is directly related to the use of alcohol.

-	ributable conditions
F10	Mental and behavioural disorders due to use of alcohol
F10.0	Acute intoxication
F10.1	Harmful use
F10.2	Dependence syndrome
F10.3	Withdrawal state
F10.4	Withdrawal state with delirium
F10.5	Psychotic disorder
F10.6	Amnesic syndrome
F10.7	Residual and late-onset psychotic disorder
F10.8	Other mental and behavioural disorders due to the use of alcohol
F10.9	Unspecified mental and behavioural disorders due to the use of alcohol
К70	Alcoholic liver disease
K70.0	Alcoholic fatty liver
K70.1	Alcoholic hepatitis
K70.2	Alcoholic fibrosis and sclerosis of liver
K70.3	Alcoholic cirrhosis of liver
K70.4	Alcoholic hepatic failure
K70.9	Alcoholic liver disease, unspecified
T51 ⁸	Toxic effect of alcohol
T51.0	Ethanol poisoning
T51.1	Methanol poisoning
T51.9	Toxic effect of alcohol, unspecified
ther who	lly - attributable conditions
E24.4	Alcohol-induced pseudo-Cushing's syndrome
G31.2	Degeneration of nervous system due to alcohol
G62.1	Alcoholic polyneuropathy
G72.1	Alcoholic myopathy
142.6	Alcoholic cardiomyopathy
K29.2	Alcoholic gastritis
K85.2	Alcohol-induced acute pancreatitis
K86.0	Alcohol-induced chronic pancreatitis
Q86.0	Fetal alcohol syndrome (dysmorphic)
R78.0	Excess alcohol blood levels
X45	Accidental poisoning by and exposure to alcohol
X65	Intentional self-poisoning by and exposure to alcohol
Y15	Poisoning by and exposure to alcohol, undetermined intent
Y90	Evidence of alcohol involvement determined by blood alcohol level
Y91	Evidence of alcohol involvement determined by level of intoxication

Wholly attributable conditions are alcohol-specific by definition and so have an attributable fraction of one.

Source: LAPE Statistical tables for England (May 2016)